ELSEVIER

Carbohydrate Research 299 (1997) III–IV

CARBOHYDRATE RESEARCH

Author index

Antonakis, K. 15

Bacic, A. 229
Banaszek, A. 245
Batley, M. 129
Benvegnu, T. 7
Bleeker, I.P. 221
Bock, K. 33
Bornancini, E.R.N. 103
Boros, S. 59
Boullanger, P. 49
Bozó, É. 59
Bretting, H. 1
Browder, W. 203

Cai, M.-S. 281
Cairns, P. 91
Caldeira, M.M. 209
Chandley, W. 203
Chanet-Ray, J. 253
Chang, J.R. 287
Chen, R.H. 287
Cherniak, R. 119
Chevalier, Y. 49
Chiovitti, A. 229
Chou, S. 253
Corsten, M.A. 171
Craik, D.J. 229

Dramićanin, T. 295

Elvebak II, L.E. 143, 151
Ensley, H. 203

Feng, R. 281

Gambert, U. 85
Gelas, J. 253
Gelin, M. 7
Gigg, J. 77
Gigg, R. 77
Gil, V.M.S. 209
Glushka, J. 119
Gorshkova, R.P. 69
Gotlieb, K.F. 221
Gray, G.R. 143, 151

Hagiwara, H. 301
Halmos, T. 15
Harada, N. 301
Heeres, A. 221
Heinrich, J. 1
Hjerde, R.J.N. 99

Ivanova, E.P. 69

Jones, E. 203
Jørgensen, C. 307

Kalelkar, S. 119
Kamerling, J.P. 171, 181
Karpiesiuk, W. 245
Kett, W.C. 129
Klich, G. 33
Knirel, Y.A. 69
Knowles, V. 143
König, W.A. 1
Kraft, G.T. 229
Kusakabe, I. 95
Kuszmann, J. 59
Kuwahara, R. 271

Lafont, D. 49
Lahmann, M. 23
Leslie, M.R. 197
Li, H. 301
Li, Z.-J. 281
Liao, M.-L. 229
Lowman, D. 203
Luna, E.A. 103, 111

Maunier, V. 49
McLaughlin, E. 203
McNamee, R. 203
Meldal, M. 33
Meshkov, S.V. 69
Meyer, B. 33
Michaud, T. 253
Miljković, D. 295
Mischnick, P. 1
Moates, G.K. 91
Morris, L.C. 119
Morris, V.J. 91
Müller, A. 203
Munro, S.L.A. 229
Murata, K. 95
Myhr, M.M. 99

Nazarenko, E.L. 69
Noel, T.R. 91

Oscarson, S. 159

Paramonov, N.A. 69
Parker, R. 91
Parolis, H. 197
Parolis, L.A.S. 197
Paulsen, H. 33
Pedersen, C. 307
Perić, B. 295

Plusquellec, D. 7
Popsavin, M. 295
Pretus, H. 203
Privat, E. 7

Rajewski, R.A. 103, 111
Ramos, M.L. 209
Redmond, J.W. 129
Ring, S.G. 91

Sanders, M.P. 171
Santarromana, M. 15
Scherman, D. 15
Shashkov, A.S. 69
Shimokawa, T. 95
Shyur, J.S. 287
Smidsrød, O. 99
Stella, V.J. 103, 111
Szarek, M.A. 165
Szarek, W.A. 165

Tait, R.J. 111
Takeuchi, T. 95
Tedebark, U. 159
Thiem, J. 23, 85
Thompson, D.O. 103, 111
Tsuchiya, T. 271
Turek, D. 159

Vander Velde, D.G. 111
Van Doren, H.A. 221
Van Halbeek, H. 119
Van Seeventer, P.B. 171, 181
Vårum, K.M. 99
Velty, R. 7
Vliegenthart, J.F.G. 171, 181
Vukojević, N. 295

Wang, A.-B. 281
Williams, D. 203
Wittmeyer, P. 151
Wu, X. 165

Yokoyama, C. 301
Yoshida, S. 95

Zhang, S.-Q. 281
Zhu, W. 301
Zubkov, V.A. 69

ELSEVIER

Carbohydrate Research 299 (1997) V–VIII

CARBOHYDRATE RESEARCH

Subject index

2-Acetamido-2,6-dideoxy-L-talose
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
Acid
The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203
2″-Acylamidation
Synthesis of 2″-acylamido derivatives of 2″-amino-5,2″-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271
Aldose phenylhydrazones
Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307
Alginic acid
Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95
Alteromonas nigrifaciens
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
6-Amino-6-deoxy carbohydrates
Synthesis and surface-active properties of amphiphilic 6-amino-carbonyl derivatives of D-glucose 49
Amphiphile
Synthesis and surface-active properties of amphiphilic 6-amino-carbonyl derivatives of D-glucose 49
1,5-Anhydro-, partially methylated and acylated
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitol 143
Anion-exchange chromatography
Fractionation and characterization of 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103
Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111
Anionic cyclodextrin
Fractionation and characterization of 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103
Anionic cyclomaltoheptaose (cyclodextrin)
Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111
Antigen
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
Antioxidants
Synthesis of α-tocopheryl oligosaccharides 23
Azetidine
Synthesis of monosaccharide-fused azetidines 253
BF_3-etherate
Synthesis of α-tocopheryl oligosaccharides 23
Blood–brain barrier
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
^{13}C Chemical shift
Synthesis of 2″-acylamido derivatives of 2″-amino-5,2″-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271
Callophycus
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Capsular polysaccharide
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Carbohydrate
The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203
Carrageenan, pyruvated
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Catalyst immobilization
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
Chemoenzymatic synthesis
Chemoenzymatic synthesis of the Thomsen–Friedenreich antigen determinant 85
Chitinase
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
Chitosan
Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
Chloroacetyl groups
Total synthesis of the phenylpropanoid glycoside, grayanoside A 281
C-Methyl derivatives of *myo*- and *epi*-inositol
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
Colitose
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Conformation
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

Crystallization
Observations on the crystallization and melting of maltopentaose hydrate 91
Cyclodextrin chiral stationary phase
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
D- and L-sugars
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
2D NMR spectroscopy
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
Degradation
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
Deoxy sugar
Synthesis of some new deoxy sugar lactone derivatives 295
2-Deoxyaldoses
Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307
3-Deoxy-D-*manno*-octulosonic acid
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
2-Deoxy-5-thio-D-*threo*-pentose
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
DFA III
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
α-D-Glucopyranuronate 1-fluoride
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
α-D-Glucopyranuronate 1-phosphate
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
β-D-Glucopyranuronate 1-phosphate
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
D-Glucuronic acid
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
3,6-Dideoxy-L-*xylo*-hexose
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Di-D-fructose anhydride III
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
Disaccharides
A convenient synthesis of disaccharides containing furanoside units 7
Drug-delivery
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
D-Xylitol
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitol 143
Enantiomer separation
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
Enantioselective gas chromatography
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
epi-Inositol
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
Equilibria
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
Extraction
The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203
5-Fluorinated dibekacin
Synthesis of 2″-acylamido derivatives of 2″-amino-5,2″-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271
Fluorophore-assisted carbohydrate electrophoresis
Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95
F–O Distance
Synthesis of 2″-acylamido derivatives of 2″-amino-5,2″-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271
Furanoside units
A convenient synthesis of disaccharides containing furanoside units 7
Galactans, sulfated
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
β-Galactosidase from bovine testes
Chemoenzymatic synthesis of the Thomsen–Friedenreich antigen determinant 85
Gigartinales
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Glucan
The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203
Glucosidase inhibitor
Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165
GLUT1 glucose transporter
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
Glycopeptides
Synthesis and characterisation of highly glycosylated glycopeptides with T^n-antigenic structures corresponding to human glycophorin A^N 33
Glycopyranoside
Total synthesis of the phenylpropanoid glycoside, grayanoside A 281
Glycosidation reactions
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
Glycosidation
A convenient synthesis of disaccharides containing furanoside units 7
Glycosyl donors
A convenient synthesis of disaccharides containing furanoside units 7

Glycosylation
Synthesis of α-tocopheryl oligosaccharides 23
Grayanoside A
Total synthesis of the phenylpropanoid glycoside, grayanoside A 281
HMQC
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
Hydrogenation
Synthesis of some new deoxy sugar lactone derivatives 295
Inosose
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
iso-Laminitol
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
Isomer isolation
Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111
Lactone
Synthesis of some new deoxy sugar lactone derivatives 295
Laminitol
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
Lipopolysaccharide
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
L-Mannonic acid
NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209
L-Rhamnitol, 1,5-anhydro-, partially methylated and acylated
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-L-rhamnitol 151
Lycoris radiata Herbert
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
Lysozyme
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
Maltopentaose
Observations on the crystallization and melting of maltopentaose hydrate 91
Melting
Observations on the crystallization and melting of maltopentaose hydrate 91
Methylsulfonylglucose derivatives
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
Molecular weight
Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287
Molybdenum complexes
NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209
Monosaccharide
Synthesis of monosaccharide-fused azetidines 253
NaOCl-TEMPO oxidation
Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221
NMR assignment
Synthesis and characterisation of highly glycosylated glycopeptides with T^n-antigenic structures corresponding to human glycophorin A^N 33
NMR spectroscopy
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
NMR studies
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
NMR
NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209
NOESY
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
n-Pentenyl furanosides
A convenient synthesis of disaccharides containing furanoside units 7
Nucleophilic substitution
Synthesis of monosaccharide-fused azetidines 253
Oligosaccharide, chemical synthesis
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171
Oligosaccharide synthesis
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Oligouronic acid
Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95
Oral antithrombotic activity
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
Oxirane
Reactions of the ketone derived from (±)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(±)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(±)-laminitol] 77
1-Phenylazo-1-hexenes
Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307
Polydispersity
Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287
Polymer
The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203
Polysaccharide structure
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
Polysaccharides, red algal
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Pyrazole
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129

Reductive cleavage
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
Reductive-cleavage
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-L-rhamnitol 151
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitol 143
Sd^a determinant, analogues
Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171
Sd^a determinant
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
Serum
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
Sialylation
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
Snail galactan
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
Solid-phase glycopeptide synthesis
Synthesis and characterisation of highly glycosylated glycopeptides with T^n-antigenic structures corresponding to human glycophorin A^N 33
Solieriaceae
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Structure determination
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
Structure
Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-*manno*-octulosonic acid 69
Sugar hydrazone
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
Sugar labelling
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
4-Sulfobutyl ether cyclomaltoheptaose (cyclodextrin)
Fractionation and characterization of 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103
4-Sulfobutyl ether cyclomaltoheptaose (β-cyclodextrin)
Isolation and characterization by NMR spectroscopy of three monosubstituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111
Supercritical extraction
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
Surfactants
Synthesis and surface-active properties of amphiphilic 6-aminocarbonyl derivatives of D-glucose 49
Syringalide B
Total synthesis of the phenylpropanoid glycoside, grayanoside A 281
Tamm-Horsfall glycoprotein
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
Tamm–Horsfall glycoprotein
Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171
Targeting
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
5-Thio-D-xylal derivatives
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
Thioglycosides
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
Thomsen–Friedenreich antigen determinant
Chemoenzymatic synthesis of the Thomsen–Friedenreich antigen determinant 85
α-Tocopherol
Synthesis of α-tocopheryl oligosaccharides 23
TOCSY
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
Tosylate
Synthesis of monosaccharide-fused azetidines 253
Tosylation
Synthesis of some new deoxy sugar lactone derivatives 295
Transannular participation of the sulfur atom
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-*threo*-pentopyranoside 59
Transglycosylation
Chemoenzymatic synthesis of the Thomsen–Friedenreich antigen determinant 85
α,β-trehaloses
Stereoselective syntheses of the *O*,*N*-protected subunits of the tunicamycins 245
1,5,6-Trideoxy-6,6-difluoro-1,5-imino-D-glucitol hydrochloride
Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165
1,5,6-Trideoxy-6,6-difluoro-1,5-imino-D-glucitol
Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165
Tumor cells
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
Tungsten
NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209
Tunicamine
Stereoselective syntheses of the *O*,*N*-protected subunits of the tunicamycins 245
Ultrasonics
Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287
Vibrio cholerae
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Wittig reaction
Stereoselective syntheses of the *O*,*N*-protected subunits of the tunicamycins 245